ELSEVIER

Physica C 265 (1996) 353–355

PHYSICA C

Author Index to Volume 265

Abrikosov, A.A., Suppression of the odd-parameter superconductivity by impurities and the odd–even phase transition, **265**, 207
Adachi, S., see Fukuoka, A., **265**, 13
Adachi, S., see Tatsuki, T., **265**, 323
Adachi, T., see Kato, M., **265**, 107
Andersen, N.H., see Brecht, E., **265**, 53
Athanassopoulou, N., see Chrosch, J., **265**, 233
Attfield, J.P., see Kharlanov, A., **265**, 315
Ausloos, M., see Houssa, M., **265**, 258

Balakrishnan, G., see Gardner, J.S., **265**, 251
Beal-Monod, M.T. and K. Maki, Low temperature thermal conductivity in d + s wave superconductivity, **265**, 309
Bernhoff, H., see Qvarford, M., **265**, 113
Beschoten, B., see Winkeler, L., **265**, 194
Blackstead, H.A., J.D. Dow and D.B. Pulling, Iodometric titration of copper-oxide superconductors and Tokura's Rule, **265**, 143
Brazdeikis, A., A.S. Flodström and I. Bryntse, Effect of thallium oxide, Tl_2O_3 on the formation of superconducting HgBaCaCuO films, **265**, 1
Brecht, E., W.W. Schmahl, G. Miehe, M. Rodewald, H. Fuess, N.H. Andersen, J. Hanßmann and Th. Wolf, Thermal treatment of $YBa_2Cu_{3-x}Al_xO_{6+\delta}$ single crystals in different atmospheres and neutron-diffraction study of excess oxygen pinned by the Al substituents, **265**, 53
Bryntse, I., see Brazdeikis, A., **265**, 1
Bulaevskii, L.N., see Cho, J.H., **265**, 277

Carroll, J.P., see Goretta, K.C., **265**, 201
Char, K., see Moeckly, B., **265**, 283
Chen, T.T., see Chuang, C.S., **265**, 89
Chiaia, G., see Qvarford, M., **265**, 113
Cho, J.H., M.P. Maley, H. Safar, J.Y. Coulter and L.N. Bulaevskii, Role of superconducting fluctuations in c-axis transport of Bi-2:2:1:2 superconductor in high magnetic fields, **265**, 277
Chrosch, J., C. Panagopoulos, N. Athanassopoulou, J.R. Cooper and E.K.H. Salje, High-resolution X-ray diffraction analysis of magnetically aligned high-T_c superconducting ceramics, **265**, 233
Chuang, C.S. and T.T. Chen, Tunneling spectroscopy of Pb–Au junctions in the transition from tunneling to contact regime, **265**, 89
Chung, M., D.T. Verebelyi, C.W. Schneider, M.V. Nevitt, M.J. Skove, J.E. Payne, M. Marone and P. Kostic', Characterization of Bi based superconducting whiskers, **265**, 301
Cochrane, J.W., A. Hartmann and G.J. Russell, Thermopower of ultra-high purity $YBa_2Cu_3O_{7-\delta}$ single crystals, **265**, 135
Cooper, J.R., see Chrosch, J., **265**, 233
Coulter, J.Y., see Cho, J.H., **265**, 277

Dahm, T. and L. Tewordt, Vertex corrections for dynamical spin susceptibility of the Hubbard model and comparison with neutron scattering on $YBa_2Cu_3O_{6+x}$, **265**, 67
Diederichs, J., see Dilley, N.R., **265**, 150
Dilley, N.R., J. Herrmann, S.H. Han, M.B. Maple, S. Spagna, J. Diederichs and R.E. Sager, Anomalous electrical resistivity in the superconducting state of $CeRu_2$, **265**, 150
Dow, J.D., see Blackstead, H.A., **265**, 143
Dudek, J.D., see Schlueter, J.A., **265**, 163

Eddy, M.M., see Steel, D.G., **265**, 159

Fink, C., see Niepel, A., **265**, 19
Flodström, A.S., see Brazdeikis, A., **265**, 1
Flynn, J.P., see Schlueter, J.A., **265**, 163
Frank, H., see Winkeler, L., **265**, 194
Friemel, S. and C. Pasquier, Activation energies in the vortex liquid state of κ-(BEDT-TTF)$_2$Cu(NCS)$_2$, **265**, 121
Fuess, H., see Brecht, E., **265**, 53
Fukunaga, O., see Takemoto, M., **265**, 171
Fukunaga, T., see Oota, A., **265**, 40
Fukuoka, A., A. Tokiwa-Yamamoto, M. Itoh, R. Usami, S. Adachi, H. Yamauchi and K. Tanabe, Dependence of superconducting properties on the Cu-valence determined by iodometry in $HgBa_2CuO_{4+\delta}$, **265**, 13

Gardner, J.S., G. Balakrishnan, D.McK. Paul and C. Haworth, Neutron diffraction and magnetisation studies of Sr_2RuO_4 below 2 K, **265**, 251
Geiser, U., see Schlueter, J.A., **265**, 163
Glagola, B.G., see Steel, D.G., **265**, 159
Göb, W., see Markowitsch, W., **265**, 187
Goretta, K.C., J.L. Routbort, R.L. Thayer, J.P. Carroll, J. Wolfenstine, J. Kessler and J. Schwartz, Deformation of Ag/1.2 at.% Mg, **265**, 201

Gray, K.E., see Steel, D.G., **265**, 159
Guesdon, A., see Pelloquin, D., **265**, 5
Güntherodt, G., see Winkeler, L., **265**, 194
Gupta, B.C. and K.K. Nanda, Specific heat of high-temperature superconductors. Role of $|\psi|^4$ term in the Ginzburg–Landau free energy, **265**, 228

Han, S.H., see Dilley, N.R., **265**, 150
Hanßmann, J., see Brecht, E., **265**, 53
Hardy, V., see Pelloquin, D., **265**, 5
Hartmann, A., see Cochrane, J.W., **265**, 135
Hashimoto, T., see Nagano, T., **265**, 214
Haworth, C., see Gardner, J.S., **265**, 251
Herrmann, J., see Dilley, N.R., **265**, 150
Hettinger, J.D., see Steel, D.G., **265**, 159
Hochmuth, H. and M. Lorenz, Side-selective and non-destructive determination of the critical current density of double-sided superconducting thin films, **265**, 335
Houssa, M. and M. Ausloos, Thermal conductivity of high-T_c superconductors: effect of Van Hove singularities, **265**, 258

Itoh, M., see Fukuoka, A., **265**, 13

Karlsson, U.O., see Qvarford, M., **265**, 113
Kato, M., T. Adachi and Y. Koike, Spin gap of the one-dimensional CuO_2 chains in $Sr_{14-y}Y_yCu_{24}O_{41-\delta}$, **265**, 107
Kelly, M.E., see Schlueter, J.A., **265**, 163
Kessler, J., see Goretta, K.C., **265**, 201
Kharlanov, A. and J.P. Attfield, Synthesis, crystal structure and properties of In-containing 1212-type compounds, **265**, 315
Kini, A.M., see Schlueter, J.A., **265**, 163
Klemenz, C. and H.J. Scheel, Flat $YBa_2Cu_3O_{7-x}$ layers for planar tunnel-device technology, **265**, 126
Koike, Y., see Kato, M., **265**, 107
Kostic', P., see Chung, M., **265**, 301
Kragler, K., see Niepel, A., **265**, 19
Krasavin, S.E. and N.M. Plakida, Superconductivity in tetragonal and orthorhombic structural phases of $La_{2-x}M_xCuO_4$, **265**, 45
Kula, W., see Markowitsch, W., **265**, 187

Lang, W., see Markowitsch, W., **265**, 187
Li, Y.H., A.E. Staton-Bevan, Z. Trajanovic, I. Takeuchi and T. Venkatesan, Microstructural investigation of the growth of $YBa_2Cu_3O_{7-x}/Nd_2CuO_4/YBa_2Cu_3O_{7-x}$ trilayered films on $LaSrGaO_4$ substrates, **265**, 328
Lindau, I., see Qvarford, M., **265**, 113
Lobb, C.J., see Trajanovic, Z., **265**, 79
Lorenz, M., see Hochmuth, H., **265**, 335

Maignan, A., see Pelloquin, D., **265**, 5
Maki, K., see Beal-Monod, M.T., **265**, 309
Maley, M.P., see Cho, J.H., **265**, 277
Maple, M.B., see Dilley, N.R., **265**, 150
Markowitsch, W., C. Stockinger, W. Göb, W. Lang, W. Kula and R. Sobolewski, Dynamics of photodoping and photoconductivity relaxation in oxygen-deficient $YBa_2Cu_3O_x$, **265**, 187
Marone, M., see Chung, M., **265**, 301
Matsui, M., see Oota, A., **265**, 40
Miehe, G., see Brecht, E., **265**, 53
Miu, L. and S. Popa, Origin of the finite critical-current density of highly anisotropic $Bi_2Sr_2Ca_2Cu_3O_x$/Ag tapes in zero external magnetic field, **265**, 243
Moeckly, B. and K. Char, Properties of cobalt-doped $YBa_2Cu_3O_{7-\delta}$ thin films, **265**, 283
Moriwaki, Y., see Tatsuki, T., **265**, 323

Nagaev, E.L. and A.I. Podel'shchikov, The role of the Coulomb interaction and lattice deformation in magnetic-impurity phase separation, **265**, 267
Nagano, T., T. Hashimoto and J. Yoshida, *a*-axis oriented $YBa_2Cu_3O_y$ thin films grown on novel buffer layers, **265**, 214
Nanda, K.K., Temperature dependence of upper critical field and anisotropy of $YBa_2Cu_3O_7$, **265**, 26
Nanda, K.K., see Gupta, B.C., **265**, 228
Naumann, D., see Schlueter, J.A., **265**, 163
Navarro, O., Thermodynamic and other properties of the superconductors $BaPb_{0.7}Bi_{0.3}O_3$ and $Ba_{0.7}K_{0.3}BiO_3$, **265**, 73
Nevitt, M.V., see Chung, M., **265**, 301
Niepel, A., C. Fink and K. Kragler, XPS study of the effects of 30 MeV ^{32}S-ion irradiation at $T = 20$ K on $Ln_{2-x}Ce_x$-$CuO_{4-\delta}$-cuprates, **265**, 19
Nouvertné, F., see Winkeler, L., **265**, 194
Nyholm, R., see Qvarford, M., **265**, 113
Nylén, H., see Qvarford, M., **265**, 113

Ohashi, N., see Takemoto, M., **265**, 171
Oota, A., T. Fukunaga and M. Matsui, AC transport losses of textured Ag–$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes, **265**, 40

Panagopoulos, C., see Chrosch, J., **265**, 233
Pantazopoulos, G., see Pantelis, D.I., **265**, 341
Pantelis, D.I. and G. Pantazopoulos, Manufacturing and microstructural aspects of CO_2-laser processed $YBa_2Cu_3O_{7-\delta}$ superconductors, **265**, 341
Parkman, J.T., see Steel, D.G., **265**, 159
Pasquier, C., see Friemel, S., **265**, 121
Paul, D.McK., see Gardner, J.S., **265**, 251
Payne, J.E., see Chung, M., **265**, 301
Pelloquin, D., A. Maignan, A. Guesdon, V. Hardy and B. Raveau, Single crystal study of the "1201" superconductor $Hg_{0.8}Bi_{0.2}Ba_2CuO_{4+\delta}$, **265**, 5
Plakida, N.M., see Krasavin, S.E., **265**, 45
Podel'shchikov, A.I., see Nagaev, E.L., **265**, 267
Popa, S., see Miu, L., **265**, 243
Pulling, D.B., see Blackstead, H.A., **265**, 143

Qvarford, M., S. Söderholm, O. Tjernberg, G. Chiaia, H. Nylén, R. Nyholm, I. Lindau, U.O. Karlsson and H. Bernhoff, X-ray absorption study of oxygen in the high-T_c superconductor $Bi_2Sr_2CaCu_2O_8$ near the interfaces to Cu, Ag and Au, **265**, 113

Raveau, B., see Pelloquin, D., **265**, 5
Reddy, P.V., see Reddy, R.R., **265**, 96
Reddy, R.R. and P.V. Reddy, An analytical study of Young's moduli of HTSC at low temperatures, **265**, 96
Rodewald, M., see Brecht, E., **265**, 53
Routbort, J.L., see Goretta, K.C., **265**, 201
Roy, T., see Schlueter, J.A., **265**, 163
Russell, G.J., see Cochrane, J.W., **265**, 135

Sadewasser, S., see Winkeler, L., **265**, 194
Safar, H., see Cho, J.H., **265**, 277
Sager, R.E., see Dilley, N.R., **265**, 150
Salje, E.K.H., see Chrosch, J., **265**, 233
Scheel, H.J., see Klemenz, C., **265**, 126
Schlueter, J.A., J.M. Williams, A.M. Kini, U. Geiser, J.D. Dudek, M.E. Kelly, J.P. Flynn, D. Naumann and T. Roy, New directions in the synthesis and exploration of novel organic superconductors: inverse isotope effect in the organic superconductor κ_L-$(ET)_2Ag(CF_3)_4$(1-bromo-1,2-dichloroethane) [ET = bis(ethylenedithio)tetrathiafulvalene], **265**, 163
Schmahl, W.W., see Brecht, E., **265**, 53
Schneider, C.W., see Chung, M., **265**, 301
Schwartz, J., see Goretta, K.C., **265**, 201
Skove, M.J., see Chung, M., **265**, 301
Sobolewski, R., see Markowitsch, W., **265**, 187
Söderholm, S., see Qvarford, M., **265**, 113
Spagna, S., see Dilley, N.R., **265**, 150
Staton-Bevan, A.E., see Li, Y.H., **265**, 328
Steel, D.G., J.D. Hettinger, J.T. Parkman, M.E. Yoder, K.E. Gray, B.G. Glagola and M.M. Eddy, Importance of vortex interactions in $Tl_2Ba_2CaCu_2O_8$ epitaxial films with columnar defects, **265**, 159
Stockinger, C., see Markowitsch, W., **265**, 187

Takemoto, M., N. Ohashi, T. Tsurumi, O. Fukunaga and J. Tanaka, Temperature dependence of Hall angle in superconducting $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6-\delta}$, **265**, 171
Takeuchi, I., see Li, Y.H., **265**, 328
Takeuchi, I., see Trajanovic, Z., **265**, 79
Tamura, T., see Tatsuki, T., **265**, 323
Tanabe, K., see Fukuoka, A., **265**, 13
Tanabe, K., see Tatsuki, T., **265**, 323
Tanaka, J., see Takemoto, M., **265**, 171
Tatsuki, T., A. Tokiwa-Yamamoto, T. Tamura, Y. Moriwaki, X.-J. Wu, S. Adachi and K. Tanabe, A new oxychloride, $Ba_2CuO_2Cl_2$, prepared under high pressure, **265**, 323
Tewordt, L., see Dahm, T., **265**, 67
Thayer, R.L., see Goretta, K.C., **265**, 201
Timm, C., Generalization of the Berezinskii–Kosterlitz–Thouless theory to higher vortex densities, **265**, 31
Tjernberg, O., see Qvarford, M., **265**, 113
Tokiwa-Yamamoto, A., see Fukuoka, A., **265**, 13
Tokiwa-Yamamoto, A., see Tatsuki, T., **265**, 323
Trajanovic, Z., I. Takeuchi, P.A. Warburton, C.J. Lobb and T. Venkatesan, Grain growth and grain boundaries in in-plane aligned a-axis oriented $YBa_2Cu_3O_{7-x}$ films on (100) $LaSrGaO_4$, **265**, 79
Trajanovic, Z., see Li, Y.H., **265**, 328
Tsurumi, T., see Takemoto, M., **265**, 171

Usami, R., see Fukuoka, A., **265**, 13

Venkatesan, T., see Li, Y.H., **265**, 328
Venkatesan, T., see Trajanovic, Z., **265**, 79
Verebelyi, D.T., see Chung, M., **265**, 301

Warburton, P.A., see Trajanovic, Z., **265**, 79
Williams, J.M., see Schlueter, J.A., **265**, 163
Winkeler, L., S. Sadewasser, B. Beschoten, H. Frank, F. Nouvertné and G. Güntherodt, Interlayer coupling in Pb-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals, **265**, 194
Wolf, Th., see Brecht, E., **265**, 53
Wolfenstine, J., see Goretta, K.C., **265**, 201
Wu, X.-J., see Tatsuki, T., **265**, 323

Xie, Y.B., Localization in highly anisotropic systems and anomalous resistivity in cuprate-oxide superconductors, **265**, 295

Yamauchi, H., see Fukuoka, A., **265**, 13
Yoder, M.E., see Steel, D.G., **265**, 159
Yoshida, J., see Nagano, T., **265**, 214

ELSEVIER

Physica C 265 (1996) 356–357

PHYSICA C

Analytic Subject Index to Volume 265

AC transport losses
–of Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 40
Aligned ceramic 233
Anderson localization 295

Band structure 295

CVD
–of $YBa_2Cu_3O_{7-x}$ 126
Columnar defects
–in $Tl_2Ba_2CaCu_2O_8$ 159
Coulomb interactions 267
Critical current density 335
–of Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 40
–of $Bi_2Sr_2Ca_2Cu_3O_x$/Ag tapes 243
–of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ films 283
–of $YBa_2Cu_3O_{7-x}$ films 79
Critical phenomena 31
Cu–O chains 53
Cu–O planes 113
CuO_2 chain 107

Deformation
–of Ag/1.2 at.% Mg 201
Dynamical spin susceptibility 67

Elastic moduli 96
Electrical resistivity 295
–in κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 121
–of $(Bi_{0.35}In_{0.65})_{1-x}Pb_xSr_2Gd_{0.6}Ca_{0.4}Cu_2O_y$ 315
–of Bi-2:2:1:2 single crystals 277
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals 194
–of $CeRu_2$ 150
–of $HgBa_2CaCu_2O_{6+\delta}$ 1
–of $Tl_2Ba_2CaCu_2O_8$ 159
–of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ films 283
–of $YBa_2Cu_3O_x$ film 187
Electron–phonon coupling 73
–in $La_{2-x}M_xCuO_4$ 45
Electronic structure 258
Eliashberg equation 73
Energy gap symmetry 258

Fluctuation effects 31, 277
Flux pinning
–in $CeRu_2$ 150

Ginzburg-Landau theory 228

HREM
–of $YBCO/Nd_2CuO_4/YBCO$ films 328
Hall angle
–of $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6-\delta}$ 171
Hall effect
–in $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6-\delta}$ 171
Hole concentration
–in $Bi_2Sr_2CaCu_2O_8$ 113
–in $La_{2-x}M_xCuO_4$ 45
Hubbard model 67

I-V characteristics
–of $Bi_2Sr_2Ca_2Cu_3O_x$/Ag tapes 243
Inductive measurement 335
Interlayer pairing
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals 194
Irradiation effect 19
Irradiation effects 341
–in $Tl_2Ba_2CaCu_2O_8$ 159
Isotope effect
–in κ_L-$(ET)_2Ag(CF_3)_4$ 163

LPE
–of $YBa_2Cu_3O_{7-x}$ 126
Laser processing
–of $YBa_2Cu_3O_{7-\delta}$ 341
Laves phase 150

Magnetic impurity 267
Magnetic susceptibility
–of $(Bi_{0.35}In_{0.65})_{1-x}Pb_xSr_2Gd_{0.6}Ca_{0.4}Cu_2O_y$ 315
–of $Sr_{14-y}Y_yCu_{24}O_{41-\delta}$ 107
Magnetic vector potential 335
Magnetization
–of $CeRu_2$ 150
–of $Hg_{0.8}Bi_{0.2}Ba_2CuO_{4.3}$ single crystals 5
–of Sr_2RuO_4 251
Mechanical properties
–of Ag/1.2 at.% Mg 201
Metal overlayer 113
Mixed state 150
–in κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 121

Neutron powder diffraction
–of Sr_2RuO_4 251
Neutron-diffraction
–of $YBa_2Cu_{3-x}Al_xO_{6+\delta}$ single crystals 53
Normal state properties
–of $Bi_2Sr_2CaCu_2O_8$ 113
Normal-state properties
–of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ films 283

O-T transition 53
Order parameter 207
Organic superconductor 121
Organic superconductors 163
Oxygen stoichiometry
–in $Hg_{0.8}Bi_{0.2}Ba_2CuO_{4.3}$ 5
–in $HgBa_2CuO_{4+\delta}$ 13
–in $Y(La_yBa_{1-y})_2Cu_3O_x$ 143
–in $YBa_2Cu_3O_{7-\delta}$ single crystals 135

Pb-doping
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals 194
Perovskite structure 251
Persistent photoconductivity
–of $YBa_2Cu_3O_x$ 187
Phase diagram 207
Phase separation 267
Phonon mechanism 73
Photodoping
–in $YBa_2Cu_3O_x$ 187
Proximity effect 89

SEM
–of Ag/1.2 at.% Mg 201
STM 89
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals 194
Scattering probability 207
Specific heat at T_c
–of $YBa_2Cu_3O_7$ 26

Specific heat in magnetic fields 228
Specific heat near T_c
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ whiskers 301
Spin gap
–in $Sr_{14-y}Y_yCu_{24}O_{41-\delta}$ 107
Spin-1/2 ladder 107
Structural phase transitions
–in $La_{2-x}M_xCuO_4$ 45
Structure
–of $(Bi_{0.35}In_{0.65})_{1-x}Pb_xSr_2Gd_{0.6}Ca_{0.4}Cu_2O_y$ 315
–of $Ba_2CuO_2Cl_2$ 323
–of $HgBa_2CuO_{4+\delta}$ 13
–of $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6-\delta}$ 171
–of Sr_2RuO_4 251
–of YBCO/Nd_2CuO_4/YBCO films 328
–of $YBa_2Cu_3O_y$ thin films 214
–of $YBa_2Cu_3O_7$ 143
Substitution effects
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ whiskers 301
Surface morphology
–of $HgBa_2CaCu_2O_{6+\delta}$ 1
Synthesis
–of $(Bi_{0.35}In_{0.65})_{1-x}Pb_xSr_2Gd_{0.6}Ca_{0.4}Cu_2O_y$ 315
–of κ_L-$(ET)_2Ag(CF_3)_4$ 163
–of $Ba_2CuO_2Cl_2$ 323
–of $Hg_{0.8}Bi_{0.2}Ba_2CuO_{4.3}$ single crystals 5
–of $HgBa_2CaCu_2O_{6+\delta}$ 1
–of $HgBa_2CuO_{4+\delta}$ 13
–of $PrBa_2Cu_3O_y$ thin films 214
–of YBCO/Nd_2CuO_4/YBCO films 328
–of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ films 283
–of $YBa_2Cu_3O_y$ thin films 214
–of $YBa_2Cu_3O_{7-\delta}$ 341
–of $YBa_2Cu_3O_{7-x}$ films 79
–of flat $YBa_2Cu_3O_{7-x}$ surfaces 126

TEM
–of $Ba_2CuO_2Cl_2$ 323
–of $YBa_2Cu_3O_y$ thin films 214
Thermal conductivity 258, 309
Thermopower
–of $YBa_2Cu_3O_{7-\delta}$ single crystals 135
Thin films 31
Tunneling 89
Twin-boundaries
–in $YBa_2Cu_{3-x}Al_xO_{6+\delta}$ single crystals 53

Ultrasound velocity 96
Upper critical field H_{c2}
–of $YBa_2Cu_3O_7$ 26

Van Hove singularity 258
Vertex corrections 67

Whiskers 301

XAFS
–of $Bi_2Sr_2CaCu_2O_8$ 113
XPS
–of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 19
–of $Sm_{2-x}Ce_xCuO_{4-\delta}$ 19
XRD
–of $HgBa_2CaCu_2O_{6+\delta}$ 1
–of YBCO ceramics 233
XRPD
–of $Ba_2CuO_2Cl_2$ 323

Young's moduli 96

d-wave superconductor 309

ELSEVIER

Physica C 265 (1996) 358

PHYSICA C

Materials Index to Volume 265

$Ag\text{-}(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes
–aC transport losses 40
–critical current density 40
Ag/1.2 at.% Mg
–deformation 201
–mechanical properties 201
–sEM 201

$Ba_2CuO_2Cl_2$
–structure 323
–synthesis 323
–tEM 323
–xRPD 323
$\kappa\text{-}(BEDT\text{-}TTF)_2Cu(NCS)_2$
–electrical resistivity 121
–mixed state 121
Bi-2:2:1:2 single crystals
–electrical resistivity 277
$(Bi_{0.35}In_{0.65})_{1-x}Pb_xSr_2Gd_{0.6}Ca_{0.4}Cu_2O_y$
–electrical resistivity 315
–magnetic susceptibility 315
–structure 315
–synthesis 315
$Bi_2Sr_2Ca_{n-1}Cu_nO_x$ whiskers
–specific heat near T_c 301
–substitution effects 301
$Bi_2Sr_2Ca_2Cu_3O_x$/Ag tapes
–critical current density 243
–i-V characteristics 243
$Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals
–electrical resistivity 194
–interlayer pairing 194
–pb-doping 194
–sTM 194
$Bi_2Sr_2CaCu_2O_8$
–hole concentration 113
–normal state properties 113
–xAFS 113

$CeRu_2$
–electrical resistivity 150
–flux pinning 150
–magnetization 150

$\kappa_L\text{-}(ET)_2Ag(CF_3)_4$
–isotope effect 163
–synthesis 163

flat $YBa_2Cu_3O_{7-x}$ surfaces
–synthesis 126

$Hg_{0.8}Bi_{0.2}Ba_2CuO_{4.3}$ single crystals
–magnetization 5
–synthesis 5
$Hg_{0.8}Bi_{0.2}Ba_2CuO_{4.3}$
–oxygen stoichiometry 5
$HgBa_2CaCu_2O_{6+\delta}$
–electrical resistivity 1
–surface morphology 1
–synthesis 1
–xRD 1
$HgBa_2CuO_{4+\delta}$
–oxygen stoichiometry 13
–structure 13
–synthesis 13

$La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6-\delta}$
–hall angle 171
–hall effect 171
–structure 171
$La_{2-x}M_xCuO_4$
–electron–phonon coupling 45
–hole concentration 45
–structural phase transitions 45

$Nd_{2-x}Ce_xCuO_{4-\delta}$
–xPS 19

$PrBa_2Cu_3O_y$ thin films
–synthesis 214

$Sm_{2-x}Ce_xCuO_{4-\delta}$
–xPS 19
$Sr_{14-y}Y_yCu_{24}O_{41-\delta}$
–magnetic susceptibility 107
–spin gap 107
Sr_2RuO_4
–magnetization 251
–neutron powder diffraction 251
–structure 251

$Tl_2Ba_2CaCu_2O_8$
–columnar defects 159
–electrical resistivity 159
–irradiation effects 159

$Y(La_yBa_{1-y})_2Cu_3O_x$
–oxygen stoichiometry 143
YBCO ceramics
–xRD 233
$YBCO/Nd_2CuO_4/YBCO$ films
–hREM 328
–structure 328
–synthesis 328
$YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ films
–critical current density 283
–electrical resistivity 283
–normal-state properties 283
–synthesis 283
$YBa_2Cu_3O_x$ film
–electrical resistivity 187
$YBa_2Cu_3O_x$
–persistent photoconductivity 187
–photodoping 187
$YBa_2Cu_3O_y$ thin films
–structure 214
–synthesis 214
–tEM 214
$YBa_2Cu_3O_7$
–specific heat at T_c 26
–structure 143
–upper critical field H_{c2} 26
$YBa_2Cu_3O_{7-\delta}$ single crystals
–oxygen stoichiometry 135
–thermopower 135
$YBa_2Cu_3O_{7-\delta}$
–laser processing 341
–synthesis 341
$YBa_2Cu_3O_{7-x}$ films
–critical current density 79
–synthesis 79
$YBa_2Cu_3O_{7-x}$
–cVD 126
–lPE 126
$YBa_2Cu_{3-x}Al_xO_{6+\delta}$ single crystals
–neutron-diffraction 53
–twin-boundaries 53